

INDEX

- A (*RuleSet Compiler Option*) 99
- access expressions 18
- active values 9,19-20
 - (`_ selfAdd type name value
propertyName`) (*Method of Class*)
115
- Add* (*Browser Command*) 103
- AddCV (*Browser Command*) 103
 - (`_ selfAddEntities entityList`)
(*Method of KBState*) **57**
 - (`_ selfAddEntities entityList`)
(*Method of Layer*) **61**
- AddIV (*Browser Command*) 103
 - (`_ selfAddIV name valueprop`)
(*Method of Object*) **118**
 - (`_ selfAddPersp viewName view
dontCauseError`)(*Method of Node*)
114
 - (`_ selfAddPersp viewName view`)
(*Method of Perspective*) **113**
 - (`_ selfAddToContents newAddition`)
(*Method of KB*) **58**; 46,48,50
 - (`_ selfAddToContents newAddition`)
(*Method of KBState*) **57**
 - (`AddValue objectvarName newValue
propName`) **20**
 - (`ApplyMethod objectselectorargList
class`) **33**
- args (*Method Property*) 116
- assocKB (*IV of Environment*) **59**
- assocKB (*IV of Layer*) **61**
 - (`_ selfAssocKB akb`)
(*Method of Environment*) **59**; 49,54
 - (`_ selfAssocKB newKBName`)
(*Method of Object*) **118**
 - (`_ selfAt varName prop index`)
(*Method of Object*) **118**
- AtCreation (*Function*) 35
- Audit Class 81,89
- audit mode 73
- audit records 75
- auditObject (*Variable*) **82**
- auditVarName (*Variable*) **82**
- B (*RuleSet Compiler Option*) 98
- boot layers 44
- boxedNode (*IV of LatticeBrowser*) **107**
- BoxNode (*Browser Command*) 104
 - (`_ browser BoxNode object`)
(*Method of LatticeBrowser*) **107**
 - (`BreakIt selfvarName propName type
breakOnGetAlsoFlg`) **112**
 - (`_ selfBreakIt varName
propName type brkOnGetAlsoFlg`)
(*Method of Object*) **118**
 - (`BreakMethod classNameselector`) **112**
- browseFont (*IV of LatticeBrowser*) **107**;
106
- BT (*RuleSet Compiler Option*) 98
- (`CalledFns classeselinedFlg`) **120**
- caller (*Variable*) **82**
 - (`_ selfCancel`) (*Method of Environment*)
59; 51
 - (`_ selfChangedKBs`)
(*Method of Environment*) **59**; 57
- Class (*Class*) 15
- Class (*MetaClass*) **115**; 113
 - (`_ selfClass`) (*Method of Object*) **118**
- class variables 13,18
- ClassBrowser (*Class*) 105
- ClassDoc (*Browser Command*) 102
- classes 7,13
- CLASSES (*File Package Command*) 122

INDEX

- (_ selfClassName) (Method of Object) **118**
- (_ selfCleanup
KBNames noBootLayerFlg
(Method of Environment) **60**;
45,51,54
- (_ selfCleanup)
(Method of EnvironmentMeta) **62**;
50
- (_ selfClearObjectMemory)
(Method of Environment) **60**
- (_ selfClose assocKBs
(Method of Environment) **60**;
45-46,49-50
- (_ selfClose lewKBAttachedFlg
(Method of EnvironmentMeta) **62**;
50
- (_ selfCommentMethods)
(Method of Class) **116**
- compound literals 83
- (_ selfConnect nameTable
(Method of KBState) **57**
- (_ selfConnect nameTable
(Method of Layer) **61**
- connectedEnvs (IV of KB) **58**
- (_ selfConnectForOutput nameTable
(Method of KB) **58**
- (_ selfConnectOutput KB)
(Method of Environment) **60**
- contents (IV of KB) **58**
- contents (IV of KB)) 43
- contents (IV of KBState) **57**
- contents (IV of KBState)) 43
- Copy (Method of KB) 54
- (_ selfCopyDeep KBC)
(Method of Object) **118**
- (_ selfCopyFileLayer layer)
(Method of KB) **58**
- (_ selfCopyFileLayers
layerDescription(Method of KB)
58; 52
- (_ selfCopyMethod mySelector newClass
newSelector(Method of Class) **116**
- (_ selfCopyObjects objList
(Method of Environment) **60**; 50-51
- (_ oldRuleSetCopyRules
newRuleSetName (Message) **95**
- (_ selfCopyShallow)
(Method of Object) **118**
- CopyTo (Browser Command) 104
- created (IV of DatedObject) **115**
- creator (IV of DatedObject) **115**
- CurrentEnvironment (Variable) 14,50
- (_ selfCurrentState)
(Method of KBState) **57**
- currentWriter (IV of KB) **58**
- CVDoc (Browser Command) 103
- DatedObject (Class) **115**
- (DC classNamesSupersList **15**
- DefaultObject (Variable) 111,119
- (DefAVP fnName putFlg **29**
- DefineClass (Function) 117
- DefMethod (Browser Command) 103
- DefMethod (Message) 16
- (_ selfDefMethod selector argsexp)
(Method of Class) **116**
- DefRSM (Browser Command) 103
- (DefRSM ClassName Selector
RuleSetName **97**
- Delete (Browser Command) 104
- (_ selfDelete type name prop)
(Method of Class) **116**
- (_ selfDeleteIV varName propName)
(Method of Object) **118**
- (_ selfDeleteIVProp ivName ivProp)
(Method of Object) **118**

INDEX

- (`_ selfDeleteMeAsPersp`)
(*Method of Perspective*) **113**
- (`_ selfDeletePersp viewName view`
`dotCauseError`(*Method of Node*)
114
- (`_ selfDeletePersp`
`viewName view dotCauseError`
(*Method of Perspective*) **113**
- (`_ selfDescribeLayers dateOrDays`
`assocKB` (*Method of KBState*) **57**;
52
- Destroy (*Message*) 56
- (`_ selfDestroy`) (*Method of Class*) **116**
- (`_ selfDestroy`) (*Method of Node*) **114**
- (`_ selfDestroy`) (*Method of Object*)
118
- (`_ selfDestroy`) (*Method of Perspective*)
113
- (`_ selfDestroy!`) (*Method of Class*)
116
- (`_ selfDestroy!`) (*Method of Node*)
114
- (`_ selfDestroy!`)
(*Method of Perspective*) **113**
- (`_ selfDisconnect`) (*Method of KB*)
58
- (DM `classNameSelector argsOrFnName`
`form`) **16**
- Do1 (*RuleSet Control Structure*) **66**
- DoAll (*RuleSet Control Structure*) **66**
- doc (*Method Property*) 116
- Doc* (*Browser Command*) 102
- (`DoFringeMethods objectselectorExpr`
`arg arg`) **33**
- (`DoMethod objectselectorExpr asarg`
`arg`) **32**
- (`_ selfDoMethod selector classarg arg`
`arg arg arg arg arg arg arg`
`arg`) (*Method of Object*) **118**
- DoNext (*RuleSet Control Structure*) **72**
- (`_ browser DoSelectedCommand`
`command obj objName`)
(*Method of LatticeBrowser*) **107**
- dot 85
- (`_ selfDumpToKB`
`kbName assocKBName`)
(*Method of Environment*) **60**; 53
- (EC `className_`) **15**; 109
- Edit (*Message*) 15,108-109
- (`_ selfEdit commands`)
(*Method of Class*) **116**
- (`_ selfEdit commands`)
(*Method of Object*) **118**
- Edit* (*Browser Command*) 104
- EditCVs (*Browser Command*) 104
- EditIVs (*Browser Command*) 104
- (`_ ClassNameEditMethod selector`
`Message`) **94**
- (`_ selfEditMethod selector commands`)
(*Method of Class*) **116**
- EditObject (*Browser Command*) 104
- (`_ browserEditObject objectobjName`
`arg`) (*Method of LatticeBrowser*)
107
- EditRules (*Message*) 94
- (`_ browserEEObject objectobjName`)
(*Method of LatticeBrowser*) **107**
- EI (*Function*) 110
- EM (*Browser Command*) 103
- (EM `classNameSelector`) **94**
- (EM `classNameSelector`) **17**; 110
- EM! (*Browser Command*) 103
- EM* (*Browser Command*) 103
- Environment (*Class*) **59**
- environmental objects 42
- EnvironmentMeta (*Class*) **62**

INDEX

environments 11,42-43
 ER (*Message*) 94
 ErrorOnNameConflict (*Variable*) 14

 (`_ selfFetchMethod selector`
 (*Method of Class*) **116**)
 FetchMethodOrHelp (*Function*) 119,123
 file (*IV of Layer*) **61**
 fileName (*IV of KB*) **58**
 (`_ selfFiles |leLst`
 (*Method of Environment*) **60**)
 (`_ selfFiles |leList`
 (*Method of KBState*) **57**)
 (`_ selfFiles |leLst` (*Method of Layer*)
 61)
 FirstFetch (*Active Value*) 35
 FirstFetch (*Function*) 26,35
 (`_ browser FlashNode`
 node N }ashTime
 (*Method of LatticeBrowser*) **108**)
 (`_ browser FlashNode object`
 (*Method of LatticeBrowser*) **108**)
 (`_ selfFreezeKB name`) (*Method of KB*)
 58; 47

 (`GetClass classpropName`) **22**
 (`GetClassHere classpropName`) **22**
 (`GetClassIV classvarName propName`)
 22
 (`GetClassOnly classpropName _`) **22**
 (`GetClassValue objectvarName`
 propName) **19**
 (`GetClassValueOnly objectvarName`
 propName) **21**
 (`GetCVHere objectvarName propName`)
 21
 (`GetIt objectvarOrSelectorpropName`
 type) **23**

 (`GetItHere objectvarOrSelector`
 propName type) **23**
 (`GetItOnly objectvarOrSelector`
 propName type) **23**
 (`GetIVHere objectvarName propName`)
 21
 (`_ browser GetLabel object`
 (*Method of LatticeBrowser*) **108**)
 GetLispClass (*Function*) 122
 (`GetLocalState activeValue self`
 varName propName type) **28**
 (`GetLocalStateOnly activeValue` **28**)
 (`GetMethod classselectorpropName`)
 22
 (`GetMethodHere classselector`
 propName) **23**
 (`GetMethodOnly classselector`
 propName) **23**
 (`_ browser GetNodeList browseList`
 goodList (*Method of LatticeBrowser*)
 108)
 (`_ selfGetPersp perspNamecauseError`
 (*Method of Node*) **114**)
 (`_ selfGetPersp perspNamecauseError`
 (*Method of Perspective*) **114**)
 (`_ browser GetSubs object`
 (*Method of LatticeBrowser*) **108**)
 (`GetValue objectvarName propName`)
 19
 (`GetValueOnly objectvarName`
 propName) **21**
 global name table 44
 GlobalNamedObject (*Class*) **115**

 (`_ selfHasCV CVName prop`
 (*Method of Class*) **116**)
 (`_ selfHasIV IVName prop`
 (*Method of Class*) **116**)
 (`_ selfHasIV ivName prop`
 (*Method of Object*) **119**)

INDEX

- HELPCHECK (*Function*) 111
- indexedVars (*IV of Varlength*) **115**
- inheritance networks 8
- Inspect (*Browser Command*) 104
- Inspect (*Message*) 110
- (_ selfInspect ASTYPE)
(*Method of Object*) **119**
- instance variables 13,18
- instances 13
- INSTANCES (*File Package Command*) 122
- (_ selfInstOf className)
(*Method of Object*) **119**
- (_ selfInstOf! className)
(*Method of Object*) **119**
- (_ selfIsCurrent)
(*Method of Environment*) **60; 50**
- IT (*Variable*) 104
- IVDoc (*Browser Command*) 102
- (_ selfIVMissing varName)
(*Method of Object*) **119**
- KB (*Class*) **58**
- KBMeta (*Class*) **61**
- kbName (*IV of Layer*) **61**
- KBs 43
- KBState (*Class*) **57**
- KBStates 43
- knowledge bases 10,41
- lastSelectedObject (*IV of LatticeBrowser*)
107; 106
- LatticeBrowser (*Class*) **106; 105**
- Layer (*Class*) **61**
- layers 43
- left hand side 80
- LeftButtonItem (*CV of LatticeBrowser*)
107; 105
- (_ browserLeftShiftSelect object
objname) (*Method of LatticeBrowser*)
108; 106
- (_ selflength) (*Method of Varlength*)
115
- LHS 80
- LispClassTable (*Variable*) 122
- (_ selfList componentType
componentName propName)
(*Method of Class*) **116**
- (_ selfList typeName)
(*Method of Object*) **119**
- (_ selfList! type name verboseFlg)
(*Method of Class*) **117**
- (_ selfList! type name verboseFlg)
(*Method of Object*) **119**
- ListRuleSets (*Function*) 96
- LocalCommands (*CV of LatticeBrowser*)
107; 105
- (MakeActiveValue selfvarOrSelector
newGetFn newPutFn newLocalSt
propName type) **29**
- (_ selfMakeCurrent)
(*Method of Environment*) **60;**
50-51,54
- (_ selfMakeNotCurrent
bitchIfNotCurrent) (*Method of Environment*)
60; 50
- (_ selfMakePersp viewName nodeType)
(*Method of Perspective*) **114**
- (_ selfMapObjectNames
mapFn assocKBsnoUIDs)
(*Method of Environment*) **60; 53-54**
- (_ selfMapObjectNames mapFn
noUIDs) (*Method of Layer*) **61; 56**

INDEX

- (`_ selfMarkDeleted objToBeDeleted`
(*Method of Environment*) **60**
- MD 80
- MessageNotUnderstood (*Message*) 111
- (`_ selfMessageNotUnderstood selector`
`superFlg`(*Method of Object*) **119**
- meta-description 80
- MetaClass (*Metaclass*) 36,113
- metaclasses 7,13
- MethodDoc (*Browser Command*) 102
- (`_ selfMethodDoc selector`
(*Method of Class*) **117**
- methods 7,13
- MiddleButtonItem (*CV of LatticeBrowser*)
107; 105
- (`_ browserMiddleShiftSelect object`
`objname` (*Method of LatticeBrowser*)
108; 106
- Move* (*Browser Command*) 104
- (`MoveClassVariable oldClassName`
`newClassnamevariableName` **121**
- (`MoveMethod oldClassnameNewClassName`
`selector` **120**
- (`_ selfMoveMethod newClassselector`
(*Method of Class*) **117**
- MoveObjects (*Message*) 54
- MoveTo (*Browser Command*) 104
- (`MoveVariable oldClassName`
`newClassnamevariableName` **121**
- multiple alternatives 12,42
- (`_ selfMyKB`) (*Method of KBState*) **57**

- name (*IV of GlobalNamedObject*) 114
- name (*IV of KBState*) **57**
- name (*IV of NamedObject*) 114
- NamedObject (*Class*) **115**; 15
- nameTable (*IV of Environment*) **59**

- New (*Browser Command*) 104
- (`_ classNew`) (*Message*) **14**
- (`_ metaClassNew classNamesupersList`
(*Message*) **15**; 34,36
- (`_ selfNew name supers`
(*Method of Class*) **117**
- (`_ selfNew kbName envName`
`newVersionFlg`(*Method of KBMeta*)
61; 44,46,50
- NewTemp (*Message*) 55
- (`_ selfNewTemp selectorsuperFlg`
(*Method of Class*) **117**
- (`_ classNewWithValues`
`valDescriptionList`(*Message*) **34**; 35
- Node (*Class*) **114**
- NoObjectForMsg (*Message*) 111
- (`_ selfNoObjectForMsg selector`
(*Method of Object*) **119**; 111
- NotSetValue (*Variable*) 19,21-23
- NoUpdatePermitted (*Function*) 26

- Object (*Class*) **118**; 113
- (Object? x) **14**
- objects 13
- (`_ browserObjNamePair objOrName`
(*Method of LatticeBrowser*) **108**
- (`_ selfOld kbName envName`
(*Method of KBMeta*) **61**; 45-48,52
- (`_ selfOnFile |l|` (*Method of Class*)
117
- (`_ selfOpen`) (*Method of Environment*)
60; 45-46,48,50
- openEnvironments (*Variable*) 50
- (`_ selfOpenFiles`)
(*Method of EnvironmentMeta*) **62**
- outputKB (*IV of Environment*) **59**
- owners (*IV of KB*) **58**

INDEX

- Perspective (Class) **113**
- perspectiveNode (IV of Perspective) **113**
- perspectives 87
- perspectives (IV of Node) **114**
- position (IV of Layer) **61**
- PP (Browser Command) 102
- PP (Message) 56
- (_ selfPP |l| (Method of Class) **117**
- (_ selfPP) (Method of Object) **119**
- PP! (Browser Command) 102
- (_ selfPP! |l| (Method of Class) **117**
- (_ selfPP! |l| (Method of Object) **119**
- PPM (Browser Command) 102
- (_ selfPPM selector) (Method of Class) **117**
- (_ selfPPMMethod selector) (Method of Class) **117**
- (_ RuleSetPPR) (Message) **96**
- (_ RuleSetPPRules) (Message) **96**
- PPV! (Browser Command) 102
- PR (RuleSet Compiler Option) 98
- Print* (Browser Command) 102
- (_ selfPrintContents |l| (Method of KB) **58**
- (_ selfPrintOn |l| (Method of Object) **119**
- PrintSummary (Browser Command) 102
- properties 7
- propName (Variable) 35
- pseudoclasses 122
- pseudoinstances 122
- (PushClassValue objectvarName newValuepropName) **20**
- (PushValue objectvarName newValue propName) **20**
- (_ selfPut type name valueprop) (Method of Class) **117**
- (_ selfPut varName newValuepropName index) (Method of Object) **120**
- (PutClass classnewValuepropName) **22**
- (PutClassIV classvarName newValue propName) **22**
- (PutClassOnly classnewValue propName) **22**
- (PutClassValue objectvarName newValuepropName) **20**
- (PutClassValueOnly objectvarName newValuepropName) **21**
- (PutIt objectvarOrSelectornewValue propName type) **23**
- (PutItOnly objectvarOrSelector newValuepropName type) **23**
- (PutLocalState actionValuenewValue selfvarName propName type) **28**
- (PutLocalStateOnly actionValue newValue) **28**
- (PutMethod classselectornewValue propName) **23**
- (PutMethodOnly classselectornewValue propName) **23**
- (PutValue objectvarName newValue propName) **20**
- (PutValueOnly objectvarName newValue propName) **21**
- RE (Function) 99
- (_ selfReadBoot) (Method of KBMeta) **62**
- (_ selfReadBoot) (Method of KBState) **57**
- (_ selfReadOldBootLayer kbName numBack) (Method of KBMeta) **62**; 54
- reason (Property Name) 73

INDEX

reasons (*Variable*) **82**
 (`_ browser Recompute`)
 (*Method of LatticeBrowser*) **108**
 (`_ selfRename newName environment`)
 (*Method of Class*) **117**
 (`_ selfRename newName environment`)
 (*Method of Object*) **120**
 Rename* (*Browser Command*) 104
 (`RenameMethod classNameoldSelector
 newSelector`) **120**
 (`RenameMethodFunction classoldName
 newName`) **120**
 (`RenameVariable classNameoldVarName
 newVarName classFlg`) **121**
 (`ReplaceActiveValue activeVal
 newValueselfvarName propName
 type`) **28**
 ReplaceMe (*Function*) 27
 (`_ selfReplaceSupers supers`)
 (*Method of Class*) **117**
 RHS 80
 right hand side 80
 rs (*Variable*) **82**
 RSGet (*Property Name*) 97
 RSGetFn (*Function*) 97
 RSPut (*Property Name*) 97
 RSPutFn (*Function*) 97
 Rule Class 81
 ruleApplied (*Variable*) **82**; 67,72
 ruleLabel (*Variable*) **82**
 ruleNumber (*Variable*) **82**
 ruleObject (*Variable*) **82**
 RuleSet (*Class*) 94
 RuleSets 65
 (`Run1 taskList`) **92**
 (`RunAll taskList`) **92**
 (`RunRS RuleSetworkSpacearg
 arg`) **96**
 (`RunTogether taskList`) **92**
 selectors 7
 self (*Variable*) **82**; 35,81
 SEND (*Function*) 13
 SENDSUPER Mac 32
 (`_ selfSetContents list`)
 (*Method of KB*) **59**
 (`_ selfSetContents list`)
 (*Method of KBState*) **57**
 (`_ objectSetName name`) (*Message*)
 14; 34,39
 (`_ selfSetName newName environment`)
 (*Method of Class*) **117**
 (`_ selfSetName name environment
 noBitchFlg`) (*Method of Object*) **120**
 Shared (*Litatom*) 26
 (`_ browser Show
 browseListwindowOrTitlegoodList`)
 (*Method of LatticeBrowser*) **108**
 Specialize (*Browser Command*) 103
 Specialize (*Message*) 39
 (`Start1 taskList`) **92**
 (`StartAll taskList`) **92**
 startingList (*IV of LatticeBrowser*)
 107
 status (*IV of Environment*) **59**
 status (*IV of KB*) **58**
 (`Stop value statusreason`)
 (*RuleSet Statement*) **93**
 (`_ selfSubClasses`) (*Method of Class*)
 117
 SubRuleSets 65
 (`_ selfSummarize
 fromKBName toKBName`)

INDEX

- assocKBNames namedObjectsOnly
(Method of KBMeta) **62**; 53
- super classes 13
- supers 13
- supers list 8
- T (RuleSet Compiler Option) 98
- task (Variable) **82**
- Task Class 81
- Tasks 69
- Template (MetaClass) 38
- (_ selfThawKB name) (Method of KB)
59; 48
- title (IV of LatticeBrowser) **107**; 106
- TitleItems (CV of LatticeBrowser) **107**
- topAlign (IV of LatticeBrowser) **107**;
106
- (TraceIt selfvarName propName type
traceOnGetAlsoFlg **112**
- (_ selfTraceIt varName propName type
traceGetAlsoFlg) (Method of Object)
120
- (TraceMethod className selector **112**
- TT (RuleSet Compiler Option) 98
- UE (Function) 101
- (UnBreakIt selfvarName propName
type) **112**
- (_ selfUnderstands selector
(Method of Object) **120**
- Unread (Browser Command) 103
- (_ browserUnread objectobjName)
(Method of LatticeBrowser) **108**
- (_ selfUnSetName name environment)
(Method of Object) **120**
- variables 7
- Varlength (Class) **115**
- varName (Variable) 35
- (Wait1 taskList **92**
- (WaitAll taskList **92**
- WhereIs (Browser Command) 103
- (_ selfWhereIs name type propName)
(Method of Object) **120**
- While1 (RuleSet Control Structure) **67**
- WhileAll (RuleSet Control Structure) **67**
- WhileNext (RuleSet Control Structure)
72
- window (IV of LatticeBrowser) **107**; 106
- (_ selfWriteBoot)
(Method of Environment) **60**
- (_ selfWriteBoot) (Method of KB) **59**
- (_ selfWriteEntityFile
changedEntities namedEntities
assocKBName) (Method of KB) **59**
- (_ selfWriteFileLayer kbName
nameTable) (Method of KB) **59**
- (_ selfWriteUpdate kbName)
(Method of Environment) **61**
- (_ objectSelector arg arg) **13**
- _! 13
- _+ (Rule In x Operator) 90
- _- (Rule In x Operator) 90
- (@ accessExpnewValue (Macro) **18**
- (@ objectaccessExpnewValue (Macro)
18
- _New (Macro) 34
- (_Super objectselector arg
arg) **31**
- (_SuperFringe objectselector arg
arg) **32**

INDEX

\sim (Rule Unary Operator)	84
$\sim=$ (Rule In x Operator)	84
$\$$ (Function)	13-14
$\$!$ (Function)	15
$*$ (Rule In x Operator)	83
$+$ (Rule In x Operator)	83
$++$ (Rule In x Operator)	83
$-$ (Rule In x Operator)	83
$-$ (Rule Unary Operator)	84
$--$ (Rule In x Operator)	83
$/$ (Rule In x Operator)	84
$<$ (Rule In x Operator)	84
$<<$ (Rule In x Operator)	84
$<=$ (Rule In x Operator)	84
$=$ (Rule In x Operator)	84
$==$ (Rule In x Operator)	84
$>$ (Rule In x Operator)	84
$>=$ (Rule In x Operator)	84
$(@ \text{accessExpr}(\text{Macro}))$	18
$(@ \text{objectaccessExpr}(\text{Macro}))$	18