

Maxc Operations

by Edward R. Fiala, Charles M. Geschke, Edward Taft, and Ronald L. Weaver

Maxc Document 18.7

April 24, 1984

This document describes many of the commonly used procedures for Maxc operation, as well as a number of uncommon procedures used during system debugging and maintenance. This is intended primarily as a reference document for system personnel. However, in the absence of system personnel, any user should be able to restart Maxc from a Tenex crash using the procedure outlined in Section 2.

XEROX

PALO ALTO RESEARCH CENTER

3333 Coyote Hill Road / Palo Alto / California 94304

	Section	Page
1.	Introduction	1
	1.1 Overview of the Maxc System	1
	1.2 A Word on Terminals and Consoles	2
2.	Tenex Crashes	3
3.	Power Up	10
4.	Power Down	11
5.	Loading the PDP-10 Emulator	12
6.	Starting Tenex	13
7.	Stopping Tenex	14
8.	AltIO	16
	8.1 Calling AltIO	16
	8.2 AltIO Commands	17
9.	Maxc2 Midas Operation	20
	9.1 Starting Midas	20
	9.2 Midas Display	20
	9.3 Midas Command Menu	21
	9.4 Keyboard	23
	9.5 Command Files	24
	9.6 Loading Programs	26
	9.7 Dumping Microprograms	27
	9.8 Tenex Microcode	27
	9.9 Power On-Off	27
	9.10 Testing Through the Maintenance Interface	29
10.	Operating Tenex Microcode from Midas	31
11.	Interpreting Checker Failures	33
12.	Using Micro-Exec	34
	12.1 Tenex Disk Structure	34
	12.2 Micro-Exec Command Descriptions	35
	12.3 Micro-Exec Command Summary	40
13.	Hardware Diagnostic and Maintenance Procedures	42
	13.1 Running Microprocessor Diagnostics	42
	13.2 Running PDP-10 Diagnostics	44
	13.3 Memory Maintenance	45
	13.4 Disk Maintenance	47
	13.5 TM	49

13.6.	MemBash	49
13.7.	SMIDdiag	49
13.8.	AITest	49
14.	Recovery from Checkdisk Errors	50
15.	Bsys Operation	53
15.1.	Backup Procedures	53
15.2.	Incremental Dumps	54
15.3.	Full Dumps	55
15.4.	Full Backup to Tape	57
15.5.	Continuing Interrupted Dumps	57
15.6.	Restoring Files from Backup	57
15.7.	Restoring the Entire File System	58
15.8.	Archive Procedures	59
15.9.	Organization of the Archive Tapes	60
15.10.	Archiving Files to Tape	60
15.11.	Retrieving Files from Tape	62
16.	Contents of the Alto Disk	64
17.	Software Maintenance Procedures	65
17.1.	Midas	65
17.2.	AltIO	65
17.3.	TM, MemBash, SMIDdiag, Alto Microcode	66
17.4.	Tenex and Diagnostic Microcode	66
17.5.	Tenex	66
18.	Local Memory Chip Charts	67
19.	Creating and Destroying Maxc Accounts	68
19.1.	Obtaining a Maxc Account	68
19.2.	General Information About Maxc Directories	68
19.3.	The E ^C CREATE AND E ^C PRINT Commands	72
19.4.	Creating a Maxc Directory	75
19.5.	Editing the Grapevine Data Base	77
19.6.	Changing the Password and Other Modifications to Directories	78
19.7.	Destroying a Maxc Account	79
19.8.	Operations on MESSAGE.TXT Files	80
19.9.	Reinstantiating a Destroyed Directory	81
19.10.	Retrieving Archived Files for Defunct Directories	82
19.11.	Printing Accounting Information	82
20.	Miscellaneous Maxc Room Procedures	83
20.1.	Updating the Arpanet Host Name Table	83
20.2.	Periodic deletion of SYSTEM files	84
20.3.	Changing PARC-GUEST Password	84
20.4.	Before doing a FORCED ARCHIVE	84

20.5	Deleting an]ARCHIVE-DIRECTORY[85
20.6	Creating New TapeServer Disk	85
20.7	Brownie [MAXC] directories to [Indigo] monthly	85
21.	Appendix	86
21.1.	Files Comprising this document	86
21.2.	<i>Changing</i> and <i>Printing</i> this document	87
	Figure 1 (Old Bipolar Card Chip Changing Map)	90
	Figure 2 (New Bipolar Card Chip Changing Map)	91
	Figure 3 (MAXC Computer Memory Board Location)	92
	Figure 4 (MAXC Memory Board Chip Location)	93
	Figure 5 (MAXC Bipolar Memory Chip Data Table)	94
	Figure 6 (Application for PA Registry, Mailbox, Maxc Login, or Ivy Directory [Xerox Palo Alto employees only])	95
	Figure 7 (Files-only account protection guide)	96
	Figure 8 (Application for MAXC Files-Only Directory)	97
	Figure 9 (Application for MAXC Login Directory [Non-Xerox and Xerox employees not at PARC or Palo Alto SDD/SD])	98
	MAXC Bug Strings	99
	MAXC Room Power Down/Up Procedure	107